



[Home](#) > [Models: Current models](#) > [Mazda2](#) > Specifications

Mazda2 Specifications

View all of the specifications of the Mazda2 range. Compare and contrast to find which Super Little Model would best suit your needs.

Mazda2



Powertrain		Neo	Maxx	Genki
Engine type		1.5 litre in-line 4 cylinder 16 valve DOHC S-VT	1.5 litre in-line 4 cylinder 16 valve DOHC S-VT	1.5 litre in-line 4 cylinder 16 valve DOHC S-VT
Engine capacity		1,498 cc	1,498 cc	1,498 cc
Bore and stroke		78.0 x 78.4 mm	78.0 x 78.4 mm	78.0 x 78.4 mm
Compression ratio		10.0 : 1	10.0 : 1	10.0 : 1
Maximum power		76 kW @ 6,000 rpm	76 kW @ 6,000 rpm	76 kW @ 6,000 rpm
Maximum torque		137 Nm @ 4,000 rpm	137 Nm @ 4,000 rpm	137 Nm @ 4,000 rpm
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Fuel system		Electronic fuel injection	Electronic fuel injection	Electronic fuel injection
Fuel tank capacity		42 litres	42 litres	42 litres
Recommended fuel		Regular unleaded (min. 91RON)	Regular unleaded (min. 91RON)	Regular unleaded (min. 91RON)
Fuel consumption	man (combined) ¹	6.4 litres per 100 km	6.4 litres per 100 km	6.4 litres per 100 km
	auto (combined) ¹	6.8 litres per 100 km	6.8 litres per 100 km	6.8 litres per 100 km
Emissions standard		Euro Stage IV	Euro Stage IV	Euro Stage IV
Manual transmission		5-speed	5-speed	5-speed
Automatic transmission		4-speed	4-speed	4-speed
Gear ratio	1st - man/auto	3.416 / 2.816	3.416 / 2.816	3.416 / 2.816
	2nd	1.842 / 1.553	1.842 / 1.553	1.842 / 1.553
	3rd	1.290 / 1.000	1.290 / 1.000	1.290 / 1.000

	4th	0.972 / 0.695	0.972 / 0.695	0.972 / 0.695
	5th	0.775 / -	0.775 / -	0.775 / -
	reverse	3.214 / 2.279	3.214 / 2.279	3.214 / 2.279
	final drive	4.105 / 4.147	4.105 / 4.147	4.105 / 4.147
Chassis		Neo	Maxx	Genki
Brake type	front	Ventilated disc	Ventilated disc	Ventilated disc
	rear	Drum	Drum	Drum
Steering type		Electric power assist steering	Electric power assist steering	Electric power assist steering
Steering wheel turns	lock to lock	2.7	2.7	2.7
Suspension	front	MacPherson strut	MacPherson strut	MacPherson strut
	rear	Torsion beam	Torsion beam	Torsion beam
Turning circle	kerb to kerb	9.8 m	9.8 m	9.8 m
Tyre size		185/55R15 82V	185/55R15 82V	195/45R16 80W
Wheel size		15 x 6.0 JJ	15 x 6.0 JJ	16 x 6.5 JJ
Wheel type		Steel	Alloy	Alloy
Wheel type (spare)		Temporary	Temporary	Temporary
Exterior		Neo	Maxx	Genki
Body kit comprising:	aero bumper (front)	-	-	✓
	rear roof spoiler	-	✓	✓
	side skirts	-	-	✓
Door handles (body coloured)		-	✓	✓
Exhaust extension (chrome)		-	✓	✓
Fog-lamps (front)		-	-	✓
Front and rear bumpers (body coloured)		✓	✓	✓
Front centre roof mounted aerial		✓	✓	✓
Green tinted windscreen, side and rear windows		✓	✓	✓
Headlamps (Halogen)		✓	✓	✓
Mudflaps (front and rear)		✓	✓	-
Power mirrors (body coloured)		✓	✓	✓
Power windows		✓	✓	✓
Interior		Neo	Maxx	Genki
Air-conditioning		✓	✓	✓
Cupholders		✓	✓	✓
Digital clock		✓	✓	✓

Door ajar warning light		✓	✓	✓
Door map pockets (front)		✓	✓	✓
Driver's left footrest		✓	✓	✓
Glove box with magazine rack		✓	✓	✓
Illuminated entry system with delayed fade		✓	✓	✓
Instrument panel light dimmer		✓	✓	✓
Interior illumination:	dome lamp	✓	✓	✓
	cargo room lamp	✓	✓	✓
Interior release for fuel filler door		✓	✓	✓
Leather-wrapped:	gear shift knob	-	-	manual only
	steering wheel	-	-	✓
Lights-left-on audible warning		✓	✓	✓
Low fuel warning light		✓	✓	✓
Passenger assist grip (front)		✓	✓	✓
Rear console tray		✓	✓	✓
Seat trim:	upper grade cloth	-	-	✓
Seats (front) with:	adjustable head restraints	✓	✓	✓
	height adjustment (driver)	✓	✓	✓
	rake and slide adjustment	✓	✓	✓
Seats (rear) with:	60/40 split fold backrest	✓	✓	✓
	adjustable head restraints	✓	✓	✓
Tachometer and electronic odometer/tripmeter		✓	✓	✓
Tilt adjustable steering wheel		✓	✓	✓
Vanity mirrors:	driver	✓	✓	✓
	front passenger	-	✓	✓
Ventilation pollen filter		✓	✓	✓
Window demister (rear)		✓	✓	✓
Wipers (front) 2-speed with intermittent function		✓	✓	✓
Wiper (rear) with intermittent function		✓	✓	✓
Audio	Neo		Maxx	Genki
AM/FM tuner	✓		✓	✓
Auxiliary input (3.5mm MP3 player compatible)	✓		✓	✓

CD player, single disc (MP3 compatible)	✓	-	-
CD player, in-dash 6-disc (MP3 compatible)	-	✓	✓
Speakers, number of	4	4	4
Steering wheel mounted audio controls	-	✓	✓
Safety	Neo	Maxx	Genki
Airbags SRS:			
front (driver and passenger)	✓	✓	✓
side (front)	Safety pack opt	Safety pack opt	✓
curtain (front and rear)	Safety pack opt	Safety pack opt	✓
Anti-lock Braking System (ABS)	✓	✓	✓
Child restraint anchor points and childproof rear door locks	✓	✓	✓
Collapsible steering column	✓	✓	✓
Dynamic Stability Control (DSC) - switchable on/off	Safety pack opt	Safety pack opt	DSC opt
Electronic Brake-force Distribution (EBD)	✓	✓	✓
Emergency Brake Assist (EBA)	✓	✓	✓
Engine immobiliser	✓	✓	✓
High mount stop lamp	✓	✓	✓
Intrusion-minimising brake pedal	✓	✓	✓
Left-hand-side convex (wide angle) exterior mirror	✓	✓	✓
One touch (up and down) power window (driver)	✓	✓	✓
Remote central locking	✓	✓	✓
Seat-belt warning audible and visual (front)	✓	✓	✓
Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages	✓	✓	✓
Seat-belts 3-point lap-sash (all seats)	✓	✓	✓
Side impact door beams	✓	✓	✓
Traction Control System (TCS)	Safety pack opt	Safety pack opt	DSC opt
'Triple H' safety construction with front and rear crumple zones	✓	✓	✓

Whiplash-minimising front seats		✓	✓	✓
Dimensions		Neo	Maxx	Genki
Ground clearance	laden	119 mm	119 mm	119 mm
Overall height		1,475 mm	1,475 mm	1,475 mm
Overall length		3,885 mm	3,885 mm	3,895 mm
Overall width		1,695 mm	1,695 mm	1,695 mm
Track	front	1,475 mm	1,475 mm	1,465 mm
	rear	1,465 mm	1,465 mm	1,455 mm
Wheelbase		2,490 mm	2,490 mm	2,490 mm
Cargo room	volume (VDA)	250 litres	250 litres	250 litres
	volume (VDA) ²	469 litres	469 litres	469 litres
Kerb weight	man	1,004-1,011 kg	1,012-1,019 kg	1,022-1,025 kg
	auto	1,025-1,032 kg	1,033-1,040 kg	1,043-1,046 kg
Towing capacity	braked ³	700 kg	700 kg	700 kg
	unbraked ³	500 kg	500 kg	500 kg

¹ Fuel consumption figures are based on ADR81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

² measured with rear seats folded down and up to tonneau cover

³ Subject to State or Territory regulations.





[Home](#) > [Models: Current models](#) > [Mazda2](#) > Specifications

Mazda2 Specifications

View all of the specifications of the Mazda2 range. Compare and contrast to find which Super Little Model would best suit your needs.

Mazda2



Powertrain		Neo	Maxx	Genki
Engine type		1.5 litre in-line 4 cylinder 16 valve DOHC S-VT	1.5 litre in-line 4 cylinder 16 valve DOHC S-VT	1.5 litre in-line 4 cylinder 16 valve DOHC S-VT
Engine capacity		1,498 cc	1,498 cc	1,498 cc
Bore and stroke		78.0 x 78.4 mm	78.0 x 78.4 mm	78.0 x 78.4 mm
Compression ratio		10.0 : 1	10.0 : 1	10.0 : 1
Maximum power		76 kW @ 6,000 rpm	76 kW @ 6,000 rpm	76 kW @ 6,000 rpm
Maximum torque		137 Nm @ 4,000 rpm	137 Nm @ 4,000 rpm	137 Nm @ 4,000 rpm
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Fuel system		Electronic fuel injection	Electronic fuel injection	Electronic fuel injection
Fuel tank capacity		42 litres	42 litres	42 litres
Recommended fuel		Regular unleaded (min. 91RON)	Regular unleaded (min. 91RON)	Regular unleaded (min. 91RON)
Fuel consumption	man (combined) ¹	6.4 litres per 100 km	6.4 litres per 100 km	6.4 litres per 100 km
	auto (combined) ¹	6.8 litres per 100 km	6.8 litres per 100 km	6.8 litres per 100 km
Emissions standard		Euro Stage IV	Euro Stage IV	Euro Stage IV
Manual transmission		5-speed	5-speed	5-speed
Automatic transmission		4-speed	4-speed	4-speed
Gear ratio	1st - man/auto	3.416 / 2.816	3.416 / 2.816	3.416 / 2.816
	2nd	1.842 / 1.553	1.842 / 1.553	1.842 / 1.553
	3rd	1.290 / 1.000	1.290 / 1.000	1.290 / 1.000

	4th	0.972 / 0.695	0.972 / 0.695	0.972 / 0.695
	5th	0.775 / -	0.775 / -	0.775 / -
	reverse	3.214 / 2.279	3.214 / 2.279	3.214 / 2.279
	final drive	4.105 / 4.147	4.105 / 4.147	4.105 / 4.147
Chassis		Neo	Maxx	Genki
Brake type	front	Ventilated disc	Ventilated disc	Ventilated disc
	rear	Drum	Drum	Drum
Steering type		Electric power assist steering	Electric power assist steering	Electric power assist steering
Steering wheel turns	lock to lock	2.7	2.7	2.7
Suspension	front	MacPherson strut	MacPherson strut	MacPherson strut
	rear	Torsion beam	Torsion beam	Torsion beam
Turning circle	kerb to kerb	9.8 m	9.8 m	9.8 m
Tyre size		185/55R15 82V	185/55R15 82V	195/45R16 80W
Wheel size		15 x 6.0 JJ	15 x 6.0 JJ	16 x 6.5 JJ
Wheel type		Steel	Alloy	Alloy
Wheel type (spare)		Temporary	Temporary	Temporary
Exterior		Neo	Maxx	Genki
Body kit comprising:	aero bumper (front)	-	-	✓
	rear roof spoiler	-	✓	✓
	side skirts	-	-	✓
Door handles (body coloured)		-	✓	✓
Exhaust extension (chrome)		-	✓	✓
Fog-lamps (front)		-	-	✓
Front and rear bumpers (body coloured)		✓	✓	✓
Front centre roof mounted aerial		✓	✓	✓
Green tinted windscreen, side and rear windows		✓	✓	✓
Headlamps (Halogen)		✓	✓	✓
Mudflaps (front and rear)		✓	✓	-
Power mirrors (body coloured)		✓	✓	✓
Power windows		✓	✓	✓
Interior		Neo	Maxx	Genki
Air-conditioning		✓	✓	✓
Cupholders		✓	✓	✓
Digital clock		✓	✓	✓

Door ajar warning light		✓	✓	✓
Door map pockets (front)		✓	✓	✓
Driver's left footrest		✓	✓	✓
Glove box with magazine rack		✓	✓	✓
Illuminated entry system with delayed fade		✓	✓	✓
Instrument panel light dimmer		✓	✓	✓
Interior illumination:	dome lamp	✓	✓	✓
	cargo room lamp	✓	✓	✓
Interior release for fuel filler door		✓	✓	✓
Leather-wrapped:	gear shift knob	-	-	manual only
	steering wheel	-	-	✓
Lights-left-on audible warning		✓	✓	✓
Low fuel warning light		✓	✓	✓
Passenger assist grip (front)		✓	✓	✓
Rear console tray		✓	✓	✓
Seat trim:	upper grade cloth	-	-	✓
Seats (front) with:	adjustable head restraints	✓	✓	✓
	height adjustment (driver)	✓	✓	✓
	rake and slide adjustment	✓	✓	✓
Seats (rear) with:	60/40 split fold backrest	✓	✓	✓
	adjustable head restraints	✓	✓	✓
Tachometer and electronic odometer/tripmeter		✓	✓	✓
Tilt adjustable steering wheel		✓	✓	✓
Vanity mirrors:	driver	✓	✓	✓
	front passenger	-	✓	✓
Ventilation pollen filter		✓	✓	✓
Window demister (rear)		✓	✓	✓
Wipers (front) 2-speed with intermittent function		✓	✓	✓
Wiper (rear) with intermittent function		✓	✓	✓
Audio		Neo	Maxx	Genki
AM/FM tuner		✓	✓	✓
Auxiliary input (3.5mm MP3 player compatible)		✓	✓	✓

CD player, single disc (MP3 compatible)		✓	-	-
CD player, in-dash 6-disc (MP3 compatible)		-	✓	✓
Speakers, number of		4	4	4
Steering wheel mounted audio controls		-	✓	✓
Safety		Neo	Maxx	Genki
Airbags SRS:	front (driver and passenger)	✓	✓	✓
	side (front)	Safety pack opt	Safety pack opt	✓
	curtain (front and rear)	Safety pack opt	Safety pack opt	✓
Anti-lock Braking System (ABS)		✓	✓	✓
Child restraint anchor points and childproof rear door locks		✓	✓	✓
Collapsible steering column		✓	✓	✓
Dynamic Stability Control (DSC) - switchable on/off		Safety pack opt	Safety pack opt	DSC opt
Electronic Brake-force Distribution (EBD)		✓	✓	✓
Emergency Brake Assist (EBA)		✓	✓	✓
Engine immobiliser		✓	✓	✓
High mount stop lamp		✓	✓	✓
Intrusion-minimising brake pedal		✓	✓	✓
Left-hand-side convex (wide angle) exterior mirror		✓	✓	✓
One touch (up and down) power window (driver)		✓	✓	✓
Remote central locking		✓	✓	✓
Seat-belt warning audible and visual (front)		✓	✓	✓
Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages		✓	✓	✓
Seat-belts 3-point lap-sash (all seats)		✓	✓	✓
Side impact door beams		✓	✓	✓
Traction Control System (TCS)		Safety pack opt	Safety pack opt	DSC opt
'Triple H' safety construction with front and rear crumple zones		✓	✓	✓

Whiplash-minimising front seats		✓	✓	✓
Dimensions		Neo	Maxx	Genki
Ground clearance	laden	119 mm	119 mm	119 mm
Overall height		1,475 mm	1,475 mm	1,475 mm
Overall length		3,885 mm	3,885 mm	3,895 mm
Overall width		1,695 mm	1,695 mm	1,695 mm
Track	front	1,475 mm	1,475 mm	1,465 mm
	rear	1,465 mm	1,465 mm	1,455 mm
Wheelbase		2,490 mm	2,490 mm	2,490 mm
Cargo room	volume (VDA)	250 litres	250 litres	250 litres
	volume (VDA) ²	469 litres	469 litres	469 litres
Kerb weight	man	1,004-1,011 kg	1,012-1,019 kg	1,022-1,025 kg
	auto	1,025-1,032 kg	1,033-1,040 kg	1,043-1,046 kg
Towing capacity	braked ³	700 kg	700 kg	700 kg
	unbraked ³	500 kg	500 kg	500 kg

¹ Fuel consumption figures are based on ADR81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

² measured with rear seats folded down and up to tonneau cover

³ Subject to State or Territory regulations.

